

## STATEMENT SHOWING THE HARBOUR & BERTHING FACILITIES

### Harbour Facilities

Feature	Inner Harbour	Outer Harbour
Water Spread (Hectares)	100	200
Berths	21	7 +1 (SPM)
Max.Draft(Mtrs.)	14.5	18.10
Max. length (Mtrs.)	PANAMAX	Cape Size

### Berthing Facility

All dimensions are in meters

<b>INNER HARBOR NORTHERN ARM – EAST SIDE DAY TIME ( BERTHING / SAILING ) DRAFT (with dock water density)</b>				<b>INNER HARBOR NORTHERN ARM – EAST SIDE NIGHT TIME ( BERTHING / SAILING ) DRAFT (with dock water density)</b>		<b>TIDE</b>
<b>BERHTS</b>	<b>Length</b>	<b>Panamax</b>	<b>Others</b>	<b>Panamax</b>	<b>Others</b>	
*East Quay-1A (ADANI)	280.00	14.50	14.50	14.50	14.50	1.0
EQ-1	280.0	14.50	14.50	14.50	14.50	1.0
EQ-3	265.0	14.50	14.50	14.50	14.50	1.0
EQ-4	265.0	14.50	14.50	14.50	14.50	1.0
East Quay-6	182.90	11.00	11.00	11.00	11.00	
East Quay-7	255.00	14.50	14.50	14.50	14.50	1.0
** East Quay-8 (VSPL)	255.00	14.50	14.50	14.50	14.50	1.0
** East Quay-9 (VSPL)	255.00	14.50	14.50	14.50	14.50	1.0

*** East Quay-10 (IMC)	160.00	—	11.00	—	11.00	
* Awarded to M/s Adani Vizag Coal Terminal Pvt., Ltd., ** Awarded to B.O.T. Operator M/s. Vizag Seaport Pvt. Ltd. *** Awarded to IMC						
<b>INNER HARBOR NORTHERN ARM – WEST SIDE</b> DAY TIME ( BERTHING / SAILING ) DRAFT (with dock water density)				<b>INNER HARBOR NORTHERN ARM – WEST SIDE</b> NIGHT TIME ( BERTHING / SAILING ) DRAFT (with dock water density)		<b>TIDE</b>
<b>BERHTS</b>	<b>Length</b>	<b>Panamax</b>	<b>Others</b>	<b>Panamax</b>	<b>Others</b>	
West Quay-1	212.00	13.50	13.50	13.50	13.50	0.5
West Quay-2	226.70	13.50	13.50	13.50	13.50	0.5
West Quay-3	201.20	13.50	13.50	13.50	13.50	0.5
West Quay-4	243.00	11.50	11.50	11.50	11.50	
West Quay-5	241.70	11.50	11.50	11.50	11.50	
West Quay-6 (WQ-MPL)	255.00	14.50	14.50	14.50	14.50	1.0
RE West Quay1	170.00	—	—	—	11.00	
West Quay-7	280.00	14.50	14.50	14.50	14.50	1.0
West Quay-8	280.00	14.50	14.50	14.50	14.50	1.0


<b>INNER HARBOR WESTERN ARM</b>		
<b>Quay Berths</b>	<b>Berth length (Mtrs)</b>	<b>Permissible draft # (Mtrs)</b>
Fertiliser berth	173.13	10.06
Oil Refinery Berth-1 (under upgradation)	243.00	14.50
Oil Refinery Berth-2 @ (under upgradation)	183.00	14.50
Oil Refinery Berth-3 @ (under upgradation)	180.00	14.50
<b>INNER HARBOR NORTH WESTERN ARM</b>		
<b>Green Channel Berth</b>	150.00	8.20
<p>* Vessels with more than 160.0m LOA can be allowed at EQ-10, subject to availability of sufficient space at the adjacent berth i.e. EQ-9.</p> <p># Permissible draft of vessels is subject to availability of tide – details given under harbour facilities</p> <p>** For berthing 230.0m LOA vessel at WQ-6, 45.0m room to be left vacant on North side of West Quay-5.</p>		
<p><b><u>Night Restrictions:</u></b> 1) For vessels <math>\geq</math> 200m LOA, maximum permissible draught in dark hours is 13.5m</p> <p>2) Vessels above 195.0m or Beam more than 32.0m are handled by two pilots in dark hours</p>		
<p>@ Subject to a max. 230 LOA at one of these two berths</p>		

<b>OUTER HARBOUR</b>		
<b>Berth</b>	<b>LOA (Mtrs)</b>	<b>Permissible draft # (Mtrs)</b>
Ore Berth-1 (ESSAR)	300.00	18.10
Ore Berth-2 (ESSAR)	300.00	18.10
Vizag General Cargo Berth (VGCBL) FOR 2,00,000DWT	300.00	18.10
Off Shore Tanker Terminal (OSTT)	280.00	17.00
L.P.G.	230.92	14.00
CONTAINER TERMINAL (VCTPL)	320.00	14.50
Channel Berth For 10,000 DWT  (Proposed Conversion into Cruise Terminal)	130.00	8.00
Fishing Harbour	70.00	5.50

# PORT OF VISAKHAPATNAM LAYOUT OF BERTHS



**INNER HARBOUR = 21 Berths**  
**OUTER HARBOUR = 8 Berths**



**INNER HARBOUR QUAY LENGTH = 5273.14 M**  
**OUTER HARBOUR QUAY LENGTH = 2256.15 M**  
**TOTAL QUAY LENGTH = 7589.29 M**